Quick Ship - In Stock Chillers & TCUs

Our most popular performance sizes with standard product features.

Call your local rep and order today!

Item Number	Description
Water TCU: TC110 Models	
TC110.075.9.1.4.STE	9 kW heater, ¾ hp pump, ¼" solenoid valve, 460 Voltage
TC110.075.9.1.2.STE	9 kW heater, ¾ hp pump, ¼" solenoid valve, 230 Voltage
TC110.100.9.1.4.STE	9 kW heater, 1 hp pump, ¼" solenoid valve, 460 Voltage
TC110.200.9.1.4.STE	9 kW heater, 2 hp pump, ¼" solenoid valve, 460 Voltage
TC110.200.9.1.2.STE	9 kW heater, 2 hp pump, ¼" solenoid valve, 230 Voltage
TC110.200.12.1.4.STE	12 kW heater, 2 hp pump, ¼" solenoid valve, 460 Voltage
TC110.200.12.2.4.STE	12 kW heater, 2 hp pump, ½" solenoid valve, 460 Voltage
TC110.300.12.2.4.STE	12 KW heater, 3 hp pump, ½" solenoid valve, 460 Voltage
Water TCU: TC120 Models	
Ask About TC120 Quick Build+ Program	
Oil TCU: 2016C Compact Model	
M2B2016C.075.6.4	6 kW heater, ¾ hp pump, 1.5 sq ft heat exchanger, 460 Voltage
Oil TCU: 2016M Midsize Model	
M2B2016M.200.18.6.39	18 kW heater, 2 hp pump, 3.9 sq ft heat exchanger, 460 Voltage
Positive/Negative Water TCU: 9012 Models	
TCU.9012.200.9.1.4.1	9 kW heater, 2 hp pump, ¼" solenoid valve, 460 Voltage
TC.9012.300.12.1.4.1	12 kW heater, 3 hp pump, ¼" solenoid valve, 460 Voltage
Air-Cooled Chillers: SMCA Models	
SMCA150.230.150C.STR	1.5 hp compressor, ¾ hp pump, 230 Voltage
SMCA3.5.460.150.STR	3.5 hp compressor, 1.5 hp pump, 460 Voltage
Air-Cooled Chillers: GPL Models	
GPL05A.R454B.460.150.STR	5 hp compressor, 1.5 hp pump, 460 Voltage, R-454B Refrigerant
GPL07A.R454B.460.200.STR	7.5 hp compressor, 2 hp pump, 460 Voltage, R-454B Refrigerant
GPL10A.R454B.460.200.STR	10 hp compressor, 2 hp pump, 460 Voltage, R-454B Refrigerant

TC110

TC120

2016C

2016M

9012

SMCA

GPL

Quick Ship - In Stock Material Handling

Our most popular performance sizes with standard product features.

Call your local rep and order today!

Item Number	Description
Additive Feeders	
SF1-115-0.5	Std cntrl, 6" high base, 1 cuft supply hpr, manual fill cover, 1/2" auger
SF1-115-0.75	Std cntrl, 6" high base, 1 cuft supply hpr, manual fill cover, 3/4" auger
SF1-115-1.0	Std cntrl, 6" high base, 1 cuft supply hpr, manual fill cover, 1" auger
SF1-115-1.25	Std cntrl, 6" high base, 1 cuft supply hpr, manual fill cover, 1 1/4" auger
SF1-115-1.5	Std cntrl, 6" high base, 1 cuft supply hpr, manual fill cover, 1 1/2" auger
SF1-115-1.75	Std cntrl, 6" high base, 1 cuft supply hpr, manual fill cover, 1 3/4" auger
Loaders with Standard Motor & Series One Control with Optional RPV Valve	
WX-8070-ST	SSL03, standard motor, series one controller, 115/1/60
WX-8043-ST	SSL06, standard motor, series one controller, 115/1/60
WX-8047-ST	SSL11, standard motor, series one controller, 115/1/60
WX-8051-ST	SSLC23, standard motor, series one controller, 115/1/60
WX-8053-ST	SSL45, standard motor, series one controller, 115/1/60
WX-8071-ST	SSIL03, standard motor, series one controller , 115/1/60
WX-8057-ST	SSIL06, standard motor, series one controller , 115/1/60
WX-8067-ST	SSIL11, standard motor, series one controller , 115/1/60
WX-7421-ST	SSL11, standard motor, Series One Plus controller, 115/1/60
WX12310-ST	RPV-P valve for Series loader for Series One Plus Control With one (1) wand, (10ft flex hose), Two (2) clamps, 115/1/60
Vacuum Receivers	
WX-8008-ST	SSR06, 2” TIME FILL, Flange Mount, with Check Valve
WX-8012-ST	SSR11, 2” TIME FILL, Flange Mount, with Check Valve
WX-8013-ST	SSR11, 2.5” TIME FILL, Flange Mount, with Check Valve
WX-8014-ST	SSR23, 2” TIME FILL, Flange Mount, with Check Valve
WX-8017-ST	SSR23, 2.5” TIME FILL, Flange Mount, with Check Valve
WX-8018-ST	SSR23, 3” TIME FILL, Flange Mount, with Check Valve
WX-8023-ST	SSR45, 2” TIME FILL, Flange Mount, with Check Valve
WX-8024-ST	SSR45, 2.5” TIME FILL, Flange Mount, with Check Valve
WX-8025-ST	SSR45, 3” TIME FILL, Flange Mount, with Check Valve
WX-8034-ST	SSR85, 2.5” TIME FILL, Flange Mount, with Check Valve
WX-8032-ST	SSR85, 3” TIME FILL, Flange Mount, with Check Valve

SF1

SSL

SSIL

SSR23

SSR85

Quick Ship - In Stock Material Handling

Our most popular performance sizes with standard product features.

Call your local rep and order today!

Item Number	Description
Sequence Valves	
WX-7486-ST	AV-2 / 24VDC
WX-7487-ST	AV-2 / 115 VAC
WX-7488-ST	AV-2.5 / 24VDC
WX-7489-ST	AV-2.5 / 115 VAC
WX-7490-ST	AV-3 / 24VDC
WX-7491-ST	AV-3 / 115VAC
WX-7480-ST	SV-2 / 24VDC
WX-7481-ST	SV-2 / 115 VAC
WX-7482-ST	SV2.5 / 24 VDC
WX-7483-ST	SV2.5 / 115 VAC
WX-7484-ST	SV-3 / 24 VDC
WX-7485-ST	SV-3/ 115 VAC
Central Vacuum Filters	
WX-7507-ST	SFC-S, 24VDC COMPRESSED AIR BLOWBACK, 2” CONN., FLOOR MOUNT
WX-7510-ST	SFC-S, 24VDC COMPRESSED AIR BLOWBACK, 2.5” CONN., FLOOR MOUNT
WX-7513-ST	SFC-S, 24VDC COMPRESSED AIR BLOWBACK, 3” CONN., FLOOR MOUNT
WX-7516-ST	SFC-SC, CYCLONIC PRE-FILTER, 2” CONN., FLOOR MOUNT
WX-7519-ST	SFC-SC, CYCLONIC PRE-FILTER, 2.5” CONN., FLOOR MOUNT
WX-7522-ST	SFC-SC, CYCLONIC PRE-FILTER, 3” CONN., FLOOR MOUNT
Vacuum Control Panels	
VTCPLUS1.1-9-S	VTC-VacTrac-Plus1 Local I/O Convey Control 115VAC Supply / 24VDC Control / with UL label option
VTCPLUS2.2-20-S	VTC-VacTrac-Plus2 Local I/O Convey Control 115VAC Supply / 24VDC Control / with UL label option
VTCPLUS3.3-33-S	VTC-VacTrac-Plus3 Local I/O Convey Control 115VAC Supply / 24VDC Control / with UL label option

AV Series

SV Series

SFC-SC

SFC-S

VacTrac Plus